

DRAFT 2 PROCESS TO FOLLOW IN THE EVENT OF A NEEDLE STICK INJURY

- 1. Encourage bleeding from the wound. Wash the affected area thoroughly with warm running water and soap (alternatively use an eye wash bottle if no soap/ water available). Do not suck the blood.
- 2. Cover the wound with a water proof dressing. Wash any splashes to the mouth, nose, eyes or open wound thoroughly with running water.
- 3. Obtain the contact details of the source patient. Discreetly ask them if they know their hepatitis B/ C or HIV status. (Ideally a pharmacist should be asking the details). A suitable phrase may be "I seem to have injured myself with the needle I have used. Do you have any medical conditions that can be passed on in the blood, such as, Hepatitis or HIV?"
- 4. Immediately report the injury via any internal company procedures that may be in place.
- 5. If advised by your Occupational Health Service, or if there is any doubt whatsoever, attend the local treatment centre (e.g. Accident & Emergency Department or Hepatitis Clinic), where assessment will take place according to the attached flow chart
- 6. Make a record of the incident in your pharmacy Accident Book and ensure any additional _____ policy is returned.

The nearest local treatment centre for this Pharmacy is:

Accident & Emergency, St Mary's Hospital, Newport Tel: 01983 524081

E:\Hep B Service\Appendix 18 -PROCESS FOLLOW EVENT NEEDLESTICK INJURY APRIL 09.doc